

CONTENTS

- Fractal dimension of the spatial distribution of *Dryobalanops lanceolata* in a tropical rain forest, at Lambir, Sarawak. A. IWASAKI, S. TAKAHASHI, T. YAMAKURA, M. KANZAKI, A. ITOH, T. OHKUBO, K. OGINO, E. CHAI O. K., H. S. LEE & P. S. ASHTON.....1-8
- Survival and germination of buried seeds of non-dipterocarp species in a tropical rain forest at Pasoh, West Malaysia. M. KANZAKI, S. K. YAP, K. KIMURA, Y. OKAUCHI & T. YAMAKURA.....9-20
- Soils and the distribution of *Dryobalanops aromatica* and *D. lanceolata* in mixed dipterocarp forest. - A case study at Lambir Hills National Park, Sarawak, Malaysia. H. HIRAI, H. MATSUMURA, H. HIROTANI, K. SAKURAI, K. OGINO & H. S. LEE.....21-33
- Ecology of Tengkwang forests under varying degrees of management in West Kalimantan. E. SUZUKI, M. HOTTA, T. PARTOMIHARDJO, A. SULE, F. KOIKE, N. NOMA, T. YAMADA & M. KAJI.....35-53
- A taxonomic note of *Shorea macrophylla* group (Tengkawang) in West Kalimantan. M. HOTTA.....54-56
- Topography-dependent spatial pattern and habitat segregation of sympatric *Scaphium* species in a tropical rain forest at Lambir, Sarawak. T. YAMADA, T. YAMAKURA, M. KANZAKI, A. ITOH, T. OHKUBO, K. OGINO, E. CHAI O.K., H. S. LEE & P. S. ASHTON.....55-64
- Height growth of Engkabang Jantong, *Shorea macrophylla* (De Vr.) Ashton, in a plantation forest in Sarawak. H. S. LEE, A. ITOH, M. KANZAKI & T. YAMAKURA.....65-78
- Decomposition of storm generated litter in a tropical foothill rain forest, West Sumatra, Indonesia. T. YONEDA.....79-90
- The diverse occupant fauna in epiphytic ant-plants, *Hydnophytum moseleyanum* (Rubiaceae) in New Guinea. T. MAEYAMA, O. KITADE & T. MATSUMOTO.....91-101
- Effects of different grazing intensities of sheep on arid and semiarid grasslands in the Thar Desert, India. K. NARITA, R. S. MERTIA, S. KUMAR, S. ICHIKAWA & A. FURUKAWA.....103-112
- The eggplant beetle on a leguminous weed: Host race formation in progress? T. NISHIDA, L. E. PUDJASTUTI, S. NAKANO, I. ABBAS, S. KAHONO, K. NAKAMURA & H. KATAKURA.....113-119
- Altitudinal change of fauna, diversity and food preference of dung and carrion beetles on Mt. Kinabalu, Borneo. T. KIKUTA, G. GUNSALAM, M. KON & T. OCHI.....121-130
- On the use of baited traps for the sampling of Hymenoptera. N. D. SPRINGATE.....131-138
- Insect and mite galls collected from Peucang, Panaitan, and the Krakatau Islands, Indonesia. J. YUKAWA & T. PARTOMIHARDJO.....139-150
- Field Note—Seed dispersers of the monocarpic herbaceous bamboo *Pharus virescens* (Poaceae: Bambusoideae) found in the Neotropical rain forest of La Macarena and Tinigua National Parks of Colombia. K. IZAWA, & M. KOBAYASHI.....151-157



目次

サラワク州ランビルの熱帯雨林における <i>Dryobalanops lanceolata</i> の空間分布のフラクタル次元 岩崎晃也, 高橋智, 山倉拓夫, 神崎護, 大久保達弘, 荻野和彦, Ernest CHAI O. K., Hua Seng LEE, Peter Shaw ASHTON.	1-8
西マレーシア, パソーでの非フタバガキ科植物の埋土種子の生残と発芽 神崎護, Son-Kheong YAP, 木村勝彦, 岡内由香, 山倉拓夫.	9-20
熱帯雨林におけるフタバガキ科 <i>Dryobalanops aromatica</i> および <i>D. lanceolata</i> 下に発達する土壌の特性—マレーシア, サラワク州, ランビルヒルズ国立公園における事例 平井英明, 松村弘, 広谷博史, 桜井克年, 荻野和彦, LEE Hua Seng.	21-33
さまざまな管理下にある西カリマンタンのテンカワン林の生態 鈴木英治, 堀田満, Tukirin PARTOMIHAUDJO, Achmad SULE, 小池文人, 野間直彦, 山田俊弘, 梶幹男.	35-53
西カリマンタンのオオバサラノキ <i>Shorea macrophylla</i> 群の分類 堀田満.	54-56
サラワク州ランビルの熱帯雨林におけるアオギリ科フネミノキ属3種の地形依存的分布とすみわけ 山田俊弘, 山倉拓夫, 神崎護, 伊東明, 大久保達弘, 荻野和彦, Ernest CHAI O. K., Hua Seng LEE, Peter Shaw ASHTON.	57-66
サラワク産オオバサラノキ <i>Shorea macrophylla</i> 人工林の樹高生長 李華勝・伊東明・神崎護・山倉拓夫.	67-80
インドネシア, 西スマトラ州における亜山地性熱帯多雨林での強風被害により発生した大量の落葉枝量の分解 米田健.	81-92
ニューギニアの着生性アリ植物 <i>Hydnophytum moseleyanum</i> より見出された多様な動物相 前山智弘, 北出理, 松本忠夫.	93-103
インドのタール砂漠における異なった強さのヒツジの被食圧が乾燥, 半乾燥地草本植生に与える影響 成田憲二, R. S. MERTIA, S. KUMAR, 市河三英, 古川昭雄.	105-114
マメ科雑草を加害するニジュウヤホシテントウ: 同所性品種分化の可能性について 西田隆義, Liliek E. PUDJIASTUTI, 中野進, Idrus ABBAS, Sih KAHONO, 中村浩二, 片倉晴雄.	115-121
キナバル山(ボルネオ)における腐肉・糞食性コガネムシ類の種構成・多様性・食物嗜好性の高度による変化 菊田融, Gunik GUNSALAM, 近雅弘, 越智輝雄.	123-132
膜翅目昆虫のサンプリングのためのベイトトラップの利用 N. D. SPRINGATE.	133-140
インドネシアのプーチャン島, パナイタン島およびクラカタウ諸島で採集された昆虫えいとダニえい 湯川淳一, Tukirin PARTOMIHAUDJO.	141-152
コロンビア国ティニグアおよびマカレナ国立公園の熱帯雨林で観察された一回繁殖型草本性タケ類の1種 <i>Pharus viresces</i> の種子散布者 伊沢紘生, 小林幹夫.	153-159

編集・発行 日本熱帯生態学会編集委員会 堀田満(編集委員長)
鹿児島市郡元1丁目21-35 鹿児島大学理学部地球環境科学科(気付け)
Tel. 099-285-8166 Fax 099-285-8172 e-mail hottta@sci.kagoshima-u.ac.jp

印刷 斯文堂株式会社 鹿児島市南栄3丁目1 Tel. 099-268-8211

印刷・発行日 1997年10月25日印刷 1997年10月30日発行

TROPICS

熱帯研究

Published by
The Japan Society
of Tropical Ecology

The TROPICS is issued quarterly with one volume a year. It is open either to the results of original research, experimental or descriptive, or significant reviews of various aspects of tropical regions. The journal publishes papers in all aspects of ecology and/or other fields of science related to ecology. It aims not only to act as a valued means of communication between Japanese ecologists and other field scientists but also to stimulate the research activities of young ecologists/scientists of tropical nations especially in Southeast Asia. All the members of the society can contribute to TROPICS, and invited articles may be accepted at the request of editorial board. Special issues may be published on occasion by permission of editorial board, as monographs or reviews exceed approximately 100 pages in length.

Editor-in-Chief: Mitsuru HOTTA (Department of Biology, Faculty of Science, Kagoshima University)

Editorial Board

Takuya ABE (Kyoto University)	Yusho ARUGA (Tokyo University of Fisheries)
Akio FURUKAWA (National Institute for Environmental Studies)	Tamiji INOUE (Kyoto University)(† Sept., 1997)
Toshitaka IWAMOTO (Miyazaki University)	Takashi KOHYAMA (Hokkaido University)
Naoki KOYAMA (Kyoto University)	Narifumi MAEDA (Kyoto University)
Moritaka NISHIHARA (Tohoku University)	Eizi SUZUKI* (Kagoshima University)
David W. ROUBIK (Smithsonian Tropical Research Institute)	Isamu YAMADA (Kyoto University)
Takuo YAMAKURA* (Osaka City University)	Seiki YAMANE (Kagoshima University)
Tsuyoshi YONEDA* (Osaka Kyoiku University)	* secretaries of editorial board

Instructions to authors Copy of manuscript, preferably in English (or Japanese), to be sent to the editors, typewritten on one side of paper, double-spaced, and with a wide margin. Underlinings to indicate letter types should be left to the editors. In addition to type-script copies, authors using word processing equipments are requested to submit a diskette or floppy disk with their text file. Preference is files in Microsoft Word for Macintosh, on double-sided 3.5 inch (DD, DS) diskettes. For texts processed on MS-DOS computers (preferably in Word Star or Word Perfect), please submit double-sided (DD, DS or HD) 5.25 inch or 3.5 inch floppy disks with the text saved as ASCII file.

The editors may ask the opinion of one or two reviewers before accepting or refusing the manuscript that has been submitted.

Summary. Each paper should be provided with a summary.

Citation of literature. In the text as follows: (Primack, 1991) or Ashton (1991). In the 'References' as follows:

Primack, R. B. & Hall P. 1991. Species diversity research in Bornean forests with implications for conservation biology and silviculture. *Tropics* 1: 91-111.

Jacobs, M. 1974. Botanical panorama of the Malesian archipelago. In UNESCO, *Natural Resources of Humid Tropical Asia*, 263-294. Paris.

Drawings in India ink, preferably not on transparent or tracing-paper, and photographs on glossy paper (white and black) or slides (color). Please indicate the place where figures should be inserted in the text. Magnification should be indicated by a scale line. In other cases the author should give the magnification as in the original.

Reprints. For articles with one author 50 copies free.

Manuscripts and correspondence concerning editorial matters should be addressed to **Editorial Office of the Japan Society of Tropical Ecology**, c/o Department of Earth and Environmental Sciences, Faculty of Science, Kagoshima University, Korimoto 1-21-35, Kagoshima 890, Japan. Phone: (099-285-8166 Fax: 099-285-8172 e-mail: hotta@sci.kagoshima-u.ac.jp

General Office of the Japan Society of Tropical Ecology addressed to c/o Dr. I. Yamada, the Center for Southeast Asian Studies of Kyoto University, 46 Shimoadachicyo, Yoshida, Sakyo-ku, Kyoto 606-01, Japan.

[Cover] Southern steep cliff of Mt. Kinabalu and montaine oak forest, Sabah, Borneo, 1969.

CONTENTS

In memory of Tamiji INOUE. T. YUMOTO.	161-164
Pollination biology of the genus <i>Artocarpus</i> , Moraceae. K. MOMOSE, A. HATADA, R. YAMAOKA & T. INOUE.	165-172
Plasticity of biomass allocation and tree form in relation to light environment of a tropical tree, <i>Scaphium macropodum</i> (Sterculiaceae) in Borneo. T. YAMADA & E. SUZUKI.	173-182
Population dynamics of a cohort from mast fruiting in 1981: Regeneration process of a climax species <i>Calophyllum</i> cf. <i>soulattri</i> in a tropical rain forest of West Sumatra. E. MUKHTAR, T. YONEDA, ZALFIATI & M. RAHMAN.	183-194
Molecular phylogeny of dipterocarp species using nucleotide sequences of two non-coding regions in chloroplast DNA. K. KAMIYA, K. HARADA, K. OGINO, T. KAJITA, T. YAMAZAKI & H.-S. LEE.	195-207
Spatial distribution pattern of trees in relation to soil edaphic status in tropical rain forest in West Sumatra, Indonesia I. Distribution of accumulating trees. T. MASUNAGA, D. KUBOTA, U. WILLIAM, M. HOTTA, Y. SHINMURA & T. WAKATSUKI.	209-222
Rehabilitation of tropical rainforests based on potential natural vegetation species for degraded areas in Sarawak, Malaysia. M. A. ALIAS, M. Z. HAMZAH, K. FUJIWARA & S. MEGURO.	223-239
A preliminary survey on coconut-sugar-making homegardens in relation to fuel procurement in Banyumas, Central Java. Y. OIKAWA.	241-256
Impacts of changing farmers' land control patterns on deforestation: A case study from Minangkabau villages, West Sumatra, Indonesia. M. OTSUKA.	257-269
Agroforestry as a farming system in Bagong Silang, Makiling Forest Reserve, Philippines. C. G. TAGUIAM & S. TSUYUZAKI.	271-285
Environmental utilization and its change of Bemba people in miombo woodland, northern Zambia. S. OYAMA.	287-303
— <i>Short Communication</i> — On the rational calibration method for phosphorus application on wheat in Pakistan. F. KHAN & K. SATO.	305-308
— <i>Field Note</i> — Fine-litterfall dynamics in hill and montane forests on Mount Kinabalu in the 1996 masting year. K. KITAYAMA, S. AIBA, K. KIMURA & K. KIKUZAWA.	309-317



目次

追悼 井上民二 湯本貴和.....	161-164
<i>Artocarpus</i> 属 (クワ科) の送粉様式について 百瀬邦泰, 畑田彩, 山岡亮平, 井上民二.....	165-172
ボルネオ熱帯雨林におけるアオギリ科, フネミノキの光環境に関係した樹形と地上部現存量分配の可塑性 山田俊弘, 鈴木英治.....	173-182
西スマトラ州の熱帯多雨林における極相種 <i>Calophyllum cf. soulattri</i> の更新過程 1981年の豊作年に成立した集団の個体群動態 Erizal MUKHTAR, 米田健, ZALFIATI, Marlis RAHMAN.....	183-194
葉緑体の非翻訳領域の塩基配列を用いたフタバガキ科植物の分子系統 上谷浩一, 原田 光, 荻野和彦, 梶田忠, 山崎常行, H-S. LEE, P.S. ASHTON.....	195-207
インドネシア西スマトラの熱帯雨林における樹木の分布と土壤養分の状態の関係 I. 集積性樹木の分布 増永二之, 久保田大輔, Usher WILLIAM, 堀田満, 新村義昭, 若月利之.....	209-222
マレーシア国サラワク州における荒廃地の潜在自然植生を基礎とした熱帯雨林の回復 Mohamad Azani ALIAS, Mohd Zaki HAMZAH, 藤原一繪, 目黒伸一.....	223-239
中部ジャワ, バニユマス地方におけるココヤシ糖生産機能を発達させたホームガーデンと燃材調達現状 及川洋征.....	241-256
農民の土地経営システムの変容と森林利用への影響 インドネシア・西スマトラ州ミナンカバウ族の事例から 大塚雅裕.....	257-269
フィリッピン, マキリン森林保護区バゴンシランにおける農耕形態としてのアグロフォレストリー Carmela G. TAGUAM, 露崎史朗.....	271-285
ザンビア北部・ミオンボ林帯におけるベンバの環境利用とその変容—リモートセンシングを用いた焼畑農耕地域の環境モニタリング— 大山 修一.....	287-303
— Short communication — パキスタンの小麦生産における磷酸施用量の合理的決定法 Farmanullah KHAN, 佐藤晃一.....	305-308
— Field Note — 1996 一斉開花年におけるキナバル山丘陵・山地林のリター動態 北山兼弘, 相場慎一郎, 木村一也, 菊沢喜八郎.....	309-317

編集・発行 日本熱帯生態学会編集委員会 堀田満 (編集委員長)
〒890-0065 鹿児島市郡元1丁目21-35
鹿児島大学理学部地球環境科学科 (気付け)
Tel. 099-285-8166 Fax 099-285-8172
e-mail: hotta@sci.kagoshima-u.ac.jp

印刷 斯文堂株式会社 鹿児島市南栄3丁目1 Tel. 099-268-8211
印刷・発行日 1998年5月25日印刷 1998年5月30日発行

TROPICS

熱帯研究

Published by
the Japan Society
of Tropical Ecology

The TROPICS is issued quarterly with one volume a year. It is open either to the results of original research, experimental or descriptive, or significant reviews of various aspects of tropical regions. The journal publishes papers in all aspects of ecology and/or other fields of science related to ecology. It aims not only to act as a valued means of communication between Japanese ecologists and other field scientists but also to stimulate the research activities of young ecologists/scientists of tropical nations especially in Southeast Asia. All the members of the society can contribute to TROPICS, and invited articles may be accepted at the request of editorial board. Special issues may be published on occasion by permission of editorial board, as monographs or reviews exceed approximately 100 pages in length.

Editor-in-Chief: Mitsuho HOTTA (Department of Biology, Faculty of Science, Kagoshima University)

Editorial Board

Takuya ABE (Kyoto University)	Yusho ARUGA (Tokyo University of Fisheries)
Akio FURUKAWA (National Institute for Environmental Studies)	Tamiji INOUE (Kyoto University) († Sept. 1997)
Toshitaka IWAMOTO (Miyazaki University)	Takashi KOHYAMA (Hokkaido University)
Naoki KOYAMA (Kyoto University)	Narifumi MAEDA (Kyoto University)
David W. ROUBIK (Smithsonian Tropical Research Institute)	Eizi SUZUKI* (Kagoshima University)
Isamu YAMADA (Kyoto University)	Takuo YAMAKURA (Osaka City University)
Seiki YAMANE (Kagoshima University)	Tsuyoshi YONEDA* (Osaka Kyoiku University)

* secretaries of editorial board

Instructions to authors Copy of manuscript, preferably in English (or Japanese), to be sent to the editors, typewritten on one side of paper, double-spaced, and with a wide margin. Underlinings to indicate letter types should be left to the editors. In addition to type-script copies, authors using word processing equipments are requested to submit a diskette or floppy disk with their text file. Preference is files in Microsoft Word for Macintosh, on double-sided 3.5 inch (DD, HD) diskettes. For texts processed on MS-DOS computers (preferably in MS-Word or Word Perfect), please submit double-sided (DD or HD) 3.5 inch floppy disks with the text saved as ASCII file.

The editors may ask the opinion of one or two reviewers before accepting or refusing the manuscript that has been submitted.

Summary. Each paper should be provided with a summary.

Citation of literature. In the text as follows: (Primack, 1991) or Ashton (1991). In the 'References' as follows:

Primack, R. B. & Hall P. 1991. Species diversity research in Bornean forests with implications for conservation biology and silviculture. *Tropics* 1: 91-111.

Jacobs, M. 1974. Botanical panorama of the Malesian archipelago. In UNESCO, *Natural Resources of Humid Tropical Asia*, 263-294. Paris.

Drawings in India ink, preferably not on transparent or tracing-paper, and photographs on glossy paper (white and black) or slides (color). Please indicate the place where figures should be inserted in the text. Magnification should be indicated by a scale line. In other cases the author should give the magnification as in the original.

Reprints. For articles with one author 50 copies free.

Manuscripts and correspondence concerning editorial matters should be addressed to **Editorial Office of the Japan Society of Tropical Ecology, c/o Department of Earth and Environmental Sciences, Faculty of Science, Kagoshima University, Korimoto 1-21-35, Kagoshima 890-0065, Japan. Phone: (0992) 85-8166 Fax: (0992) 85-8172 e-mail: hotta@sci.kagoshima-u.ac.jp**

General Office of the Japan Society of Tropical Ecology addressed to c/o Dr. T. Yamakura, Faculty of Science- Osaka City University, Sumiyashi-ku, Osaka 558-0022, Japan. Phone: (06) 605-2582 Fax: 605-2522

[Cover] Southern steep cliff of Mt. Kinabalu and montane oak forest, Sabah, Borneo, 1969.